
Mortality Data

for

American Indians & Alaska Natives in the Northwest

Issued October 2019





Leading Causes of Death, 2014-2016 Northwest Region (Idaho, Oregon, and Washington) Ages 1 and older

Rank	American Indian/Alaska	Native	Non-American Indian/Alaska Native		
1	Major Cardiovascular Diseases 23.4% (1,		Major Cardiovascular Diseases	27.7% (81,868)	
2	Cancer	18.9% (1,081)	Cancer	23.1% (68,286)	
3	Unintentional injuries 10.7% (614)		Chronic Lower Respiratory Diseases	5.9% (17,289)	
4	Chronic Lower Respiratory Diseases 6.2% (356)		Unintentional injuries	5.6% (16,477)	
5	Chronic Liver Disease & Cirrhosis	5.5% (317)	Alzheimer's Disease	5.6% (16,475)	
6	Diabetes	4.7% (270)	Diabetes	3.2% (9,479)	
7	Suicide	3.5% (202)	Suicide	2.2% (6,422)	
8	Alzheimer's Disease	2.2% (124)	Chronic Liver Disease & Cirrhosis	1.7% (4,929)	
9	Influenza & Pneumonia	1.4% (79)	Influenza & Pneumonia	1.4% (4,212)	
10	Nephritis	Nephritis 1.2% (71) Other Respira		1.3% (3,889)	
Total deaths	5,718	5,718 295,098			

⁽n) = number of deaths

Leading Causes of Death by Sex, 2014-2016 Northwest Region (Idaho, Oregon, and Washington) American Indians/Alaska Natives, Ages 1 and older

Rank	Males		Females		
1	Major Cardiovascular Diseases	22.8% (693)	Major Cardiovascular Diseases	24.0% (644)	
2	Cancer	18.4% (559)	Cancer	19.5% (522)	
3	Unintentional injuries	12.5% (380)	Unintentional injuries	8.7% (234)	
4	Chronic Liver Disease & Cirrhosis	6.0% (182)	Chronic Lower Respiratory Diseases	7.2% (192)	
5	Chronic Lower Respiratory Diseases	5.4% (164)	Chronic Liver Disease & Cirrhosis	5.0% (135)	
6	Suicide	4.9% (148)	Diabetes	4.8% (128)	
7	Diabetes	4.7% (142)	Alzheimer's Disease	3.2% (87)	
8	Other Respiratory Diseases	1.4% (42)	Suicide	2.0% (54)	
9	Nephritis	1.4% (41)	Influenza & Pneumonia	1.5% (40)	
10	Influenza & Pneumonia	1.3% (39)	Septicemia	1.3% (36)	
Total deaths	3,035		2,683		

⁽n) = number of deaths

Leading Causes of Death by Age Group, 2014-2016 Northwest Region (Idaho, Oregon, Washington) American Indians/Alaska Natives, Ages 1 and older


	Age Group								
Rank	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65+
1	Birth Defects	Unintentional Injuries	Unintentional Injuries	Unintentional Injuries	Unintentional Injuries	Unintentional Injuries	Cardiovascular Diseases	Cancer	Cardiovascular Diseases
2	Sudden Infant Death Syndrome	Homicide	Homicide	Suicide	Suicide	Chronic Liver Disease & Cirrhosis	Unintentional Injuries	Cardiovascular Diseases	Cancer
3	Unintentional Injuries	Cancer	Cancer	Homicide	Cardiovascular Diseases	Cardiovascular Diseases	Cancer	Chronic Liver Disease/ Unintentional Injuries (Tied)	Chronic Lower Respiratory Diseases
4	Maternal Pregnancy Complications			Cancer	Chronic Liver Disease & Cirrhosis	Suicide	Chronic Liver Disease & Cirrhosis	Chronic Lower Respiratory Diseases	Diabetes
5	Short Gestation & Low Birth Weight			Cardiovascular Diseases	Homicide	Cancer	Suicide	Diabetes	Alzheimer's Disease
6	Respiratory Diseases				Cancer	Diabetes	Diabetes	Viral Hepatitis	Unintentional Injuries
7					Diabetes	Homicide	Viral Hepatitis	Influenza & Pneumonia	Chronic Liver Disease & Cirrhosis
8					Chronic Lower Respiratory Diseases	Legal Intervention	Chronic Lower Respiratory Diseases	Suicide	Nephritis
9					Gallbladder Diseases/ HIV (Tied)	Septicemia	Influenza & Pneumonia	Nephritis	Influenza & Pneumonia
10						Influenza & Pneumonia	Homicide	Septicemia	Septicemia
Total Deaths	84	22	28	136	266	383	696	1,159	3,028

Data suppressed when counts were less than 5


Leading Causes of Death by Year, 2007-2016 Northwest Region (Idaho, Oregon, and Washington) American Indians/Alaska Natives, Ages 1 and older

	Year									
Rank	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
1	Cardiovascular Diseases (24.6%)	Cardiovascular Diseases (22.6%)	Cardiovascular Diseases (24.5%)	Cardiovascular Diseases (23.7%)	Cardiovascular Diseases (25.0%)	Cardiovascular Diseases (22.6%)	Cardiovascular Diseases (24.3%)	Cardiovascular Diseases (23.4%)	Cardiovascular Diseases (23.1%)	Cardiovascula r Diseases (23.6%)
2	Cancer (18.9%)	Cancer (19.8%)	Cancer (19.9%)	Cancer (21.0%)	Cancer (19.3%)	Cancer (19.8%)	Cancer (19.1%)	Cancer (19.2%)	Cancer (19.2%)	Cancer (18.4%)
3	Unintentional Injuries (11.8%)	Unintentional Injuries (11.5%)	Unintentional Injuries (11.9%)	Unintentional Injuries (10.9%)	Unintentional Injuries (10.7%)	Unintentional Injuries (10.9%)	Unintentional Injuries (9.9%)	Unintentional Injuries (10.3%)	Unintentional Injuries (10.9%)	Unintentional Injuries (10.9%)
4	Chronic Liver Disease & Cirrhosis (5.9%)	Chronic Liver Disease & Cirrhosis (5.8%)	Chronic Lower Resp. Disease (5.2%)	Chronic Lower Resp. Disease (5.5%)	Chronic Liver Disease & Cirrhosis (6.5%)	Chronic Lower Resp. Disease (6.1%)	Chronic Liver Disease & Cirrhosis (7.0%)	Chronic Liver Disease & Cirrhosis (5.7%)	Chronic Lower Resp. Disease (6.6%)	Chronic Lower Resp. Disease (6.9%)
5	Chronic Lower Resp. Disease (5.5%)	Diabetes (5.4%)	Chronic Liver Disease & Cirrhosis (4.7%)	Chronic Liver Disease & Cirrhosis (5.5%)	Chronic Lower Resp. Disease (5.7%)	Diabetes (5.9%)	Chronic Lower Resp. Disease (5.9%)	Chronic Lower Resp. Disease (5.1%)	Chronic Liver Disease & Cirrhosis (5.8%)	Chronic Liver Disease & Cirrhosis (5.1%)
6	Diabetes (5.5%)	Chronic Lower Resp. Disease (4.5%)	Diabetes (4.5%)	Diabetes (5.4%)	Diabetes (5.4%)	Chronic Liver Disease & Cirrhosis (5.6%)	Diabetes (5.0%)	Diabetes (3.8%)	Diabetes (5.4%)	Diabetes (4.9%)
7	Alzheimer's Disease (2.7%)	Suicide (3.3%)	Suicide (3.3%)	Suicide (3.7%)	Suicide (3.3%)	Suicide (3.3%)	Suicide (3.5%)	Suicide (3.7%)	Suicide (3.1%)	Suicide (3.8%)
8	Suicide (2.2%)	Influenza & Pneumonia (2.3%)	Alzheimer's Disease (1.9%)	Alzheimer's Disease (1.8%)	Alzheimer's Disease (1.7%)	Alzheimer's Disease (2.1%)	Alzheimer's Disease (1.7%)	Alzheimer's Disease (2.4%)	Alzheimer's Disease (2.1%)	Alzheimer's Disease (2.0%)
9	Other Respiratory Disease (1.8%)	Other Respiratory Disease (1.6%)	Homicide (1.9%)	Influenza & Pneumonia (1.7%)	Influenza & Pneumonia (1.5%)	Other Respiratory Disease (1.6%)	Other Respiratory Disease (1.4%)	Influenza & Pneumonia (1.7%)	Other Respiratory Disease (1.3%)	Influenza & Pneumonia (1.3%)
10	Septicemia (1.4%)	Alzheimer's Disease (1.4%)	Influenza & Pneumonia (1.7%)	Other Respiratory Disease (1.4%)	Other Respiratory Disease (1.5%)	Viral Hepatitis (1.4%)	Influenza & Pneumonia (1.2%)	Nephritis (1.5%)	Influenza & Pneumonia (1.2%)	Other Respiratory Disease (1.0%)


All-cause Mortality Rate, 2014-2016 Northwest Region (Idaho, Oregon, Washington) Al/AN vs. Non-Al/AN



Age-specific All-cause Mortality Rates, 2014-2016 Northwest Region (Idaho, Oregon, Washington) Al/AN vs. Non-Al/AN



Age-adjusted Mortality Rates for Leading Causes of Death, 2014-2016 Northwest Region (Idaho, Oregon, Washington) AI/AN vs. Non-AI/AN




Causes of Death with the Largest Disparities in Rates, 2014-2016 Northwest Region (Idaho, Oregon, and Washington) AI/AN vs. Non-AI/AN

Rank	Cause of Death	AI/AN Rate (Count)	Non-AI/AN Rate (Count)	AI/AN vs Non-AI/AN Rate Ratio
1	Legal Intervention	1.52 (11)	0.26 (97)	5.8
2	Kidney Infections	1.43 (7)	0.35 (151)	4.1
3	Chronic Liver Disease & Cirrhosis	44.53 (317)	11.20 (4,930)	4.0
4	Viral Hepatitis	7.69 (58)	2.69 (1,322)	2.9
5	HIV	2.06 (15)	0.73 (308)	2.8
6	Complications of Medical Care	2.36 (12)	0.90 (383)	2.7
7	Nutritional Deficiencies	3.61 (12)	1.46 (634)	2.5
8	Diabetes	50.10 (270)	21.84 (9,479)	2.3
9	Homicide	6.39 (52)	2.82 (1,047)	2.3
10	Hernias	1.86 (8)	0.83 (356)	2.2

Rates are age-adjusted and per 100,000


All-cause Mortality Rate by State, 2014-2016 Northwest Region (Idaho, Oregon, Washington) American Indians/Alaska Natives




Rates are age-adjusted and per 100,000

Trends in All-Cause Mortality Rates, 2006-2016 Northwest Region (Idaho, Oregon, Washington) Al/AN vs. Non-Al/AN

The AI/AN all-cause mortality rate decreased by 6.5% between 2006 and 2016.




Trends in Mortality Rates for Cardiovascular Diseases, Cancer, and Unintentional Injuries, 2006-2016 Northwest Region (Idaho, Oregon, Washington) American Indians/Alaska Natives




Trends in Mortality Rates for Chronic Lower Respiratory Disease, Chronic Liver Disease & Cirrhosis, and Diabetes, 2006-2016

Northwest Region (Idaho, Oregon, Washington) American Indians/Alaska Natives



Trends in Mortality Rates for Suicide, Alzheimer's Disease, Influenza & Pneumonia, and Nephritis, 2006-2016 Northwest Region (Idaho, Oregon, Washington) American Indians/Alaska Natives



About The Data

- Data sources: Death certificates from the Washington Center for Health Statistics, Oregon Center for Health Statistics, and Idaho Bureau of Vital Records and Statistics
- State death certificates were corrected for AI/AN misclassification through linkage with the Northwest Tribal Registry by NPAIHB's Improving Data & Enhancing Access Northwest (IDEA-NW) Project. This correction resulted in the identification of **552 additional AI/AN deaths** during 2014-2016, and resulted in an **11% increase** in the all-cause mortality rate for this time period.
- The data presented include deaths to residents in Idaho (including out of state deaths to residents), Oregon (in-state deaths to residents only), and Washington (including out of state deaths to residents).
- American Indian/Alaska Native (AI/AN) data include American Indians or Alaska Natives alone or in combination with another race. Non-AI/AN data include all non-AI/AN residents in Idaho, Oregon, and Washington.
- Rates (except the age-specific rates presented on page 6) are age-adjusted to the 2000 US Standard population and use the National Center for Health Statistics (NCHS) bridged race estimates as population denominators.
- Leading causes of death were coded using ICD-10 codes according to the NCHS 113 Selected Causes of Death list (https://www.cdc.gov/nchs/data/dvs/im9 2002.pdf.pdf)

Please visit the IDEA-NW website for additional data reports

http://www.npaihb.org/idea-nw/
or contact us at ideanw@npaihb.org for data requests